

KMB10

Wyłącznik nadmiarowo-prądowy, 2P



[Hz] 50	Icn [A] 10000	B	2P	2	IP 20	[mm²] 1÷25
-5÷40	TH 35	Ui [V] 500	CE	EAC	UK CA	

KMB10-B10/2

	[V]		In [A]
KMB10-B10/2	39330	230/400 AC	2 10
KMB10-B16/2	39335	230/400 AC	2 16
KMB10-B20/2	39340	230/400 AC	2 20
KMB10-B25/2	39344	230/400 AC	2 25
KMB10-B32/2	39348	230/400 AC	2 32
KMB10-B40/2	39353	230/400 AC	2 40
KMB10-B50/2	39357	230/400 AC	2 50
KMB10-B6/2	39361	230/400 AC	2 6
KMB10-B63/2	39365	230/400 AC	2 63

KMB10

Wyłącznik nadmiarowo-prądowy, 2P



KMB10-B10/2



KMB10-B16/2



KMB10-B20/2



KMB10-B25/2



KMB10-B32/2



KMB10-B40/2



KMB10-B50/2




KMB10-B6/2




KMB10-B63/2

KMB10


Wyłącznik nadmiarowo-prądowy, 2P




KMB10-B10/2




KMB10-B16/2




KMB10-B20/2




KMB10-B25/2




KMB10-B32/2




KMB10-B40/2



KMB10-B50/2



KMB10-B6/2



KMB10-B63/2