



ALIN 4LED 1540mm

Corp de iluminat linear pentru tuburi LED T8



[V] 220-240 AC	[Hz] 50	[W] max 58	G13	IP 20	
[°C] 5÷25			[mm²] 1,5÷2,5	L N ONE SIDE INPUT	 0,5m
CE	EAC	PZH	UK CA		

ALIN 4LED 1X150-W

		TYPE 			[mm]
ALIN 4LED 1X150-W	27422	mat	alb	T8 LED	1540
ALIN 4LED 1X150-SR	27424	mat	argintiu	T8 LED	1540
ALIN 4LED 1X150-B	27423	mat	negru	T8 LED	1540
AL 4LED 150-MPR-W	28455	microprismatic	alb	T8 LED	1540
AL 4LED 150-MPR-SR	28457	microprismatic	argintiu	T8 LED	1540
AL 4LED 150-MPR-B	28456	microprismatic	negru	T8 LED	1540

- Materialul carcasei: aliaj de aluminiu
- Materialul abajurului: material din plastic

ALIN 4LED 1540mm

Corp de iluminat liniar pentru tuburi LED T8



ALIN 4LED 1X150-W



ALIN 4LED 1X150-SR



ALIN 4LED 1X150-B



AL 4LED 150-MPR-W




AL 4LED 150-MPR-SR




AL 4LED 150-MPR-B

ALIN 4LED 1540mm

Corp de iluminat linear pentru tuburi LED T8



ALIN 4LED 1X150



ALIN 4LED 150-MPR