


STONO N

Corp de iluminat de grădină cu sursă de iluminat înlocuibilă



[V] 220-240 AC	[Hz] 50	Icon of a bug and a light bulb, indicating insect protection.	Icon of a square, representing the light source.	IP 65	Icon of a house with a lightning bolt, representing outdoor use.	Icon of a thermometer and sun, representing temperature range: -20+35
Icon of a downward arrow, representing the mounting style.	Icon of a cable, representing the included cable length.	Icon of a cable with '3' and '[m]', representing 3m cable length.	Icon of a cable with '1' and '[mm²]', representing 1mm² cable cross-section.	Icon of a cable with '0,2m', representing 0.2m cable length.	CE	EAC
UK CA	Icon of a downward arrow, representing the mounting style.					



STONO 30



STONO 30	24651	max 25	GLS/CFL/LED	E27	granit
STONO 20 N	24654	max 15	GLS/CFL/LED	E27	granit
STONO 390 N	36591	max 20	GLS/CFL/LED	E27	granit
STONO 490 N	36592	max 20	GLS/CFL/LED	E27	granit
STONO 585 N	36593	max 20	GLS/CFL/LED	E27	granit
STONO 780 N	36594	max 20	GLS/CFL/LED	E27	granit

Corpurile de iluminat Kanlux STONO N sunt un succes incontestabil în grădină. Acestea sunt bile cu diametre de la 31 la 78 cm, care imită pietrele. Se potrivesc perfect în stânci sau în împrejurimile arbuștilor. Fiecare dintre ele este echipat cu vârfuri care permit înglobarea corpului de iluminat în pământ și un cablu de alimentare lung (3 metri). Kanlux STONO N sunt corpuri de iluminat cu surse de lumină înlocuibile.

- Cablu de 3 m inclus
- Materialul carcasei: ABS
- Materialul abajurului: LLDPE

STONO N

Corp de iluminat de grădină cu sursă de iluminat înlocuibilă



STONO 30



STONO 20 N



STONO 390 N



STONO 490 N




STONO 585 N




STONO 780 N

STONO N


Corp de iluminat de grădină cu sursă de iluminat înlocuibilă




STONO 30




STONO 20 N




STONO 390 N



STONO 490 N



STONO 585 N



STONO 780 N