

HIERRO

Corp de iluminat liniar LED










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
		 IP 20		 5÷25	
 1,5÷2,5		 0,5m			



HR-LL-WW-W-PT

HIERRO

Corp de iluminat liniar LED

								
HR-LL-WW-W-PT	37029	23	3000	raster	X60/Y60	alb	3000	875
HR-LM-WW-W-PT	37030	32	3000	raster	X60/Y60	alb	4000	875
HR-LH-WW-W-PT	37031	42	3000	raster	X60/Y60	alb	4950	875
HR-LL-WW-B-PT	37037	23	3000	raster	X60/Y60	negru	2650	875
HR-LM-WW-B-PT	37038	32	3000	raster	X60/Y60	negru	3550	875
HR-LH-WW-B-PT	37039	42	3000	raster	X60/Y60	negru	4350	875
HR-LL-WN-W-PT	37045	23	3500	raster	X60/Y60	alb	3050	875
HR-LM-WN-W-PT	37046	32	3500	raster	X60/Y60	alb	4100	875
HR-LH-WN-W-PT	37047	42	3500	raster	X60/Y60	alb	5050	875
HR-LL-WN-B-PT	37053	23	3500	raster	X60/Y60	negru	2700	875
HR-LM-WN-B-PT	37054	32	3500	raster	X60/Y60	negru	3650	875
HR-LH-WN-B-PT	37055	42	3500	raster	X60/Y60	negru	4500	875
HR-LL-NW-W-PT	37061	23	4000	raster	X60/Y60	alb	3150	875
HR-LM-NW-W-PT	37062	32	4000	raster	X60/Y60	alb	4200	875
HR-LH-NW-W-PT	37063	42	4000	raster	X60/Y60	alb	5150	875
HR-LL-NW-B-PT	37069	23	4000	raster	X60/Y60	negru	2800	875
HR-LM-NW-B-PT	37070	32	4000	raster	X60/Y60	negru	3750	875
HR-LH-NW-B-PT	37071	42	4000	raster	X60/Y60	negru	4600	875

- Materialul carcasei: oțel, material din plastic
- Materialul abajurului: material din plastic



HIERRO

Corp de iluminat liniar LED



HR-LL-WW-W-PT



HR-LM-WW-W-PT



HR-LH-WW-W-PT



HR-LL-WW-B-PT



HR-LM-WW-B-PT



HR-LH-WW-B-PT



HR-LL-WN-W-PT



HR-LM-WN-W-PT



HR-LH-WN-W-PT



HR-LL-WN-B-PT



HR-LM-WN-B-PT



HR-LH-WN-B-PT



HR-LL-NW-W-PT



HR-LM-NW-W-PT



HR-LH-NW-W-PT



HR-LL-NW-B-PT

HIERRO


Corp de iluminat liniar LED



HR-LM-NW-B-PT



HR-LH-NW-B-PT



HR-L-PT

