

HIERRO

Corp de iluminat liniar LED










 220-240 AC	 50	 ≥30000	 50000	 ≤6x MacAdam	 80	 SMD
		 IP 20		 5÷25		 0,5m



HR-LL-WW-W-RM

HIERRO

Corp de iluminat liniar LED

							
	[W]	T _c [K]	TYPE	[°]		[m]	[mm]
HR-LL-WW-W-RM	37112	23	3000	raster	X60/Y60	alb	3000 850
HR-LM-WW-W-RM	37113	32	3000	raster	X60/Y60	alb	4000 850
HR-LH-WW-W-RM	37114	42	3000	raster	X60/Y60	alb	4950 850
HR-LL-WW-B-RM	37119	23	3000	raster	X60/Y60	negru	2650 850
HR-LM-WW-B-RM	37120	32	3000	raster	X60/Y60	negru	3550 850
HR-LH-WW-B-RM	37121	42	3000	raster	X60/Y60	negru	4350 850
HR-LL-WN-W-RM	37126	23	3500	raster	X60/Y60	alb	3050 850
HR-LM-WN-W-RM	37127	32	3500	raster	X60/Y60	alb	4100 850
HR-LH-WN-W-RM	37128	42	3500	raster	X60/Y60	alb	5050 850
HR-LL-WN-B-RM	37133	23	3500	raster	X60/Y60	negru	2700 850
HR-LM-WN-B-RM	37134	32	3500	raster	X60/Y60	negru	3650 850
HR-LH-WN-B-RM	37135	42	3500	raster	X60/Y60	negru	4500 850
HR-LL-NW-W-RM	37140	23	4000	raster	X60/Y60	alb	3150 850
HR-LM-NW-W-RM	37141	32	4000	raster	X60/Y60	alb	4200 850
HR-LH-NW-W-RM	37142	42	4000	raster	X60/Y60	alb	5150 850
HR-LL-NW-B-RM	37147	23	4000	raster	X60/Y60	negru	2800 850
HR-LM-NW-B-RM	37148	32	4000	raster	X60/Y60	negru	3750 850
HR-LH-NW-B-RM	37149	42	4000	raster	X60/Y60	negru	4600 850

- Materialul carcasei: oțel, material din plastic
- Materialul abajurului: material din plastic

HIERRO

Corp de iluminat liniar LED



HR-LL-WW-W-RM



HR-LM-WW-W-RM



HR-LH-WW-W-RM



HR-LL-WW-B-RM



HR-LM-WW-B-RM



HR-LH-WW-B-RM



HR-LL-WN-W-RM



HR-LM-WN-W-RM

HIERRO

Corp de iluminat liniar LED



HR-LH-WN-W-RM



HR-LL-WN-B-RM



HR-LM-WN-B-RM



HR-LH-WN-B-RM



HR-LL-NW-W-RM



HR-LM-NW-W-RM



HR-LH-NW-W-RM




HR-LL-NW-B-RM



HR-LM-NW-B-RM



HR-LH-NW-B-RM



HR-LH_RM

HIERRO

Corp de iluminat liniar LED

