


AKVO IP44

Настенно-потолочный светодиодный светильник

IP
44



[V] 220-240 AC	[Hz] 50	 15000	 25000 ^[h]	 Ra 80	 SMD	
	IP 44	 5+30 ^[°C]			 0,75-1,5 ^[mm²]	 0,1m
CE	EAC	UK CA				



	[W]	[lm]	Tc [K]		
AKVO IP44 15W-NW-W	36659	15	белый	1600	4000
AKVO IP44 15W-NW-B	36660	15	черный	1600	4000
AKVO IP44 15W-NW-C	36661	15	хром	1600	4000
AKVO IP44 20W-NW-W	36662	20	белый	2300	4000
AKVO IP44 20W-NW-B	36663	20	черный	2300	4000
AKVO IP44 20W-NW-C	36664	20	хром	2300	4000
AKVO IP44 23W-NW-W	36665	23	белый	2750	4000
AKVO IP44 23W-NW-B	36666	23	черный	2750	4000
AKVO IP44 23W-NW-C	36667	23	хром	2750	4000

- Материал корпуса: сплав алюминия
- Материал плафона: пластмасса

AKVO IP44

Настенно-потолочный светодиодный светильник



AKVO IP44 15W-NW-W



AKVO IP44 15W-NW-B



AKVO IP44 15W-NW-C



AKVO IP44 20W-NW-W



AKVO IP44 20W-NW-B



AKVO IP44 20W-NW-C



AKVO IP44 23W-NW-W




AKVO IP44 23W-NW-B

AKVO IP44


Настенно-потолочный светодиодный светильник




AKVO IP44 23W-NW-C



AKVO IP44 15W



AKVO IP44 20W



AKVO IP44 23W