

## AREL LED

Svietidlo typu downlight

IP  
65/20

ultra  
SLIM  
panel

HIGH  
quality

[V] 220-240 AC	[Hz] 50	≥30000	15000	ellipse ≤ 6x Mackdam	Ra 80	SMD
		IP 65/20		5÷25		
(mm <sup>2</sup> ) 0,75-1,5	0,5m	360° Φ <sub>use</sub>	CE	EAC	UK CA	



### AREL LED D 20W



	[W]		[lm]	[mm]	[°]	T <sub>c</sub> [K]
AREL LED DO 6W-NW	29580	6	biela	450	120	4000
AREL LED DO 6W-WW	29581	6	biela	440	120	3000
AREL LED DL 6W-NW	29582	6	biela	490	120	4000
AREL LED DO 10W-NW	29584	10	biela	940	120	4000
AREL LED DO 10W-WW	29585	10	biela	890	120	3000
AREL LED DL 10W-NW	29586	10	biela	1000	120	4000
AREL LED DO 14W-NW	29588	14	biela	1300	120	4000
AREL LED DO 14W-WW	29589	14	biela	1210	120	3000
AREL LED DL 14W-NW	29590	14	biela	1300	120	4000

Kanlux AREL LED je nová rodina downlightov, ktoré nemajú rámček. Vďaka vysokému stupňu krytia IP65/20 a jedinečnému, jednoduchému a zároveň prekvapivému dizajnu sa Kanlux AREL LED hodí do každého interiéru. Vďaka unikátnemu dizajnu má panel hrúbku iba 9 mm - najtenší panel na trhu.

- Materiál korpusu: hliníková zliatina
- Materiál difúzora: PMMA

## AREL LED

Svietidlo typu downlight



AREL LED DO 6W



AREL LED DL 6W



AREL LED DO 10W



AREL LED DL 10W




AREL LED DO 14W




AREL LED DL 14W

## AREL LED


Svietidlo typu downlight




AREL LED DO 6W




AREL LED DL 6W




AREL LED DO 10W



AREL LED DL 10W



AREL LED DO 14W



AREL LED DL 14W