

## KMB6

Istič, 2P



[Hz] 50	 C	 2P	 2	IP 20	 1÷25	 5÷40
 TH 35	Ui [V] 500	CE	EAC	VDE	UK CA	

KMB6-C16/2

	IV]		In [A]
KMB6-C16/2	<b>23178</b>	230 AC	2 16
KMB6-C6/2	<b>32583</b>	230 AC	2 6
KMB6-C10/2	<b>32584</b>	230 AC	2 10
KMB6-C20/2	<b>32586</b>	230 AC	2 20
KMB6-C25/2	<b>32587</b>	230 AC	2 25
KMB6-C32/2	<b>32588</b>	230 AC	2 32
KMB6-C40/2	<b>32589</b>	230 AC	2 40
KMB6-C50/2	<b>32590</b>	230 AC	2 50
KMB6-C63/2	<b>32591</b>	230 AC	2 63

Istič slúži na ochranu pred preťažením a skratom v inštaláciách a zariadeniach.

## KMB6

Istič, 2P



KMB6-C16/2



KMB6-C6/2



KMB6-C10/2



KMB6-C20/2



KMB6-C25/2



KMB6-C32/2




KMB6-C40/2




KMB6-C50/2




KMB6-C63/2




KMB6-C16/2



KMB6-C6/2




KMB6-C10/2




KMB6-C20/2

## KMB6


### Istič, 2P




KMB6-C25/2




KMB6-C32/2



KMB6-C40/2



KMB6-C50/2



KMB6-C63/2