

AL-LH-PT

Lineárne LED svietidlo



[V] 220-240 AC	[Hz] 50	≥ 30000	[h] 50000	ellipse $\leq 3x$ Macadam	Ra 80	SMD
		IP 20		[°C] 5÷25		
[mm ²] 1,5÷2,5		0,5m				



AL-LH-NW-MAT-B-PT

	[W]	Tc [K]		[°]		[lm]	[mm]
AL-LH-NW-MAT-B-PT	34129	52	4000	matné	X85/Y95	čierna	6300 1710
AL-LH-NW-MAT-S-PT	34141	52	4000	matné	X85/Y95	strieborná	6300 1710
AL-LH-NW-MAT-W-PT	34117	52	4000	matné	X85/Y95	biela	6300 1710
AL-LH-NW-MPR-B-PT	34133	52	4000	mikroprizmatický	X75/Y90	čierna	5800 1710
AL-LH-NW-MPR-S-PT	34145	52	4000	mikroprizmatický	X75/Y90	strieborná	5800 1710
AL-LH-NW-MPR-W-PT	34121	52	4000	mikroprizmatický	X75/Y90	biela	5800 1710
AL-LH-WW-MAT-B-PT	34131	52	3000	matné	X85/Y95	čierna	5600 1710
AL-LH-WW-MAT-S-PT	34143	52	3000	matné	X85/Y95	strieborná	5600 1710
AL-LH-WW-MAT-W-PT	34119	52	3000	matné	X85/Y95	biela	5600 1710
AL-LH-WW-MPR-B-PT	34135	52	3000	mikroprizmatický	X75/Y90	čierna	5150 1710
AL-LH-WW-MPR-S-PT	34147	52	3000	mikroprizmatický	X75/Y90	strieborná	5150 1710
AL-LH-WW-MPR-W-PT	34123	52	3000	mikroprizmatický	X75/Y90	biela	5150 1710

- 5-ročná záruka podľa podmienok vyhlásenia o záruke, ktoré je dostupné na webovej stránke
- Materiál korpusu: oceľ
- Materiál difúzora: plast

AL-LH-PT

Lineárne LED svietidlo



AL-LH-NW-MAT-B-PT



AL-LH-NW-MAT-S-PT



AL-LH-NW-MAT-W-PT



AL-LH-NW-MPR-B-PT



AL-LH-NW-MPR-S-PT



AL-LH-NW-MPR-W-PT



AL-LH-WW-MAT-B-PT



AL-LH-WW-MAT-S-PT

AL-LH-PT

Lineárne LED svietidlo



AL-LH-WW-MAT-W-PT




AL-LH-WW-MPR-B-PT




AL-LH-WW-MPR-S-PT




AL-LH-WW-MPR-W-PT




AL-LH-NW-MAT-B-PT




AL-LH-NW-MAT-S-PT




AL-LH-NW-MAT-W-PT




AL-LH-NW-MPR-B-PT




AL-LH-NW-MPR-S-PT




AL-LH-NW-MPR-W-PT




AL-LH-WW-MAT-B-PT




AL-LH-WW-MAT-S-PT




AL-LH-WW-MAT-W-PT



AL-LH-WW-MPR-B-PT



AL-LH-WW-MPR-S-PT



AL-LH-WW-MPR-W-PT