

KMB6-P

Obmedzovač zmluvného výkonu



KMB6-P-10/1

[Hz] 50	Icn [A] 6000	 1	 1P	 1	IP 20	 1=25
 -5÷40	 TH 35	Ui [V] 500	CE	EAC	UK CA	

	[V]	Počet polí	In [A]
KMB6-P-10/1	45751	230/400 AC	1 10
KMB6-P-13/1	45752	230/400 AC	1 13
KMB6-P-16/1	45753	230/400 AC	1 16
KMB6-P-20/1	45754	230/400 AC	1 20
KMB6-P-25/1	45755	230/400 AC	1 25
KMB6-P-32/1	45756	230/400 AC	1 32
KMB6-P-40/1	45757	230/400 AC	1 40
KMB6-P-50/1	45758	230/400 AC	1 50
KMB6-P-63/1	45759	230/400 AC	1 63

Zariadenie obmedzuje odber elektrickej energie vhodnou voľbou menovitého prúdu ističa vzhľadom na pripojovací (dojednaný) príkon. Pri použití ako predradené istenie pred elektromerom zaisťuje prúdovú selektivitu pri preťažení s nadprúdovými ochranami odberateľa.

KMB6-P

Obmedzovač zmluvného výkonu



KMB6-P-10/1



KMB6-P-13/1



KMB6-P-16/1



KMB6-P-20/1



KMB6-P-25/1



KMB6-P-32/1



KMB6-P-40/1



KMB6-P-50/1



KMB6-P-63/1

KMB6-P

Obmedzovač zmluvného výkonu

