

## KMB6-P

Obmedzovač zmluvného výkonu



KMB6-P-10/3

[Hz] 50	Icn [A] 6000	 3	 3P	 3	IP 20	 1=25
 -5÷40	 TH 35	Ui [V] 500	CE	EAC	UK CA	

	[V]	Počet polí	In [A]
KMB6-P-10/3	<b>45760</b>	230/400 AC	3 10
KMB6-P-13/3	<b>45761</b>	230/400 AC	3 13
KMB6-P-16/3	<b>45762</b>	230/400 AC	3 16
KMB6-P-20/3	<b>45763</b>	230/400 AC	3 20
KMB6-P-25/3	<b>45764</b>	230/400 AC	3 25
KMB6-P-32/3	<b>45765</b>	230/400 AC	3 32
KMB6-P-40/3	<b>45766</b>	230/400 AC	3 40
KMB6-P-50/3	<b>45767</b>	230/400 AC	3 50
KMB6-P-63/3	<b>45768</b>	230/400 AC	3 63

Zariadenie obmedzuje odber elektrickej energie vhodnou voľbou menovitého prúdu ističa vzhľadom na pripojovací (dojednaný) príkon. Pri použití ako predradené istenie pred elektromerom zaisťuje prúdovú selektivitu pri preťažení s nadprúdovými ochranami odberateľa.

## KMB6-P

Obmedzovač zmluvného výkonu



KMB6-P-10/3



KMB6-P-13/3



KMB6-P-16/3



KMB6-P-20/3



KMB6-P-25/3



KMB6-P-32/3



KMB6-P-40/3



KMB6-P-50/3



KMB6-P-63/3

## KMB6-P

---

Obmedzovač zmluvného výkonu

