

MAH PRO Y

Світильник герметичний LED



up to
170 $\frac{\text{lm}}{\text{W}}$

IP 65



$[\text{V}]$ 220-240 AC	$[\text{Hz}]$ 50	≥ 80000	$[\text{h}]$ 100000	ellipse $\leq 6^\circ$ MacAdam	Ra 80	SMD
		IP 65		$[\text{°C}]$ -20÷40		IK 08
	$[\text{mm}^2]$ 1÷2,5	---m 0,5m	CE	EAC	UK CA	



MAH PRO Y 38W 12R-NW

	$[\text{W}]$	$[\text{lm}]$	$T_c [\text{K}]$	$[\text{°}]$	
MAH PRO Y 38W 12R-NW 38142	38	6100	4000	110	сірий
	34,5	5600			
	27,5	4550			
	22	3750			
MAH PRO Y 52W 15R-NW 38143	52	8400	4000	110	сірий
	44,5	7300			
	37	6200			
	29,5	5000			

- 7 років Гарантії на умовах гарантійної заяви, доступної на веб-сайті
- Матеріал корпусу: PC
- Матеріал плафону: PC

MAH PRO Y


Світильник герметичний LED




MAH PRO Y 38W 12R-NW



MAH PRO Y 52W 15R-NW



MAH PRO Y 38W 12R-NW



MAH PRO Y 52W 15R-NW

MAH PRO Y

Світильник герметичний LED

Акcesуари

38144

MAH PRO SENSOR Czujnik ruchu - (38144) MAH PRO SENSOR

