

Ceiling louver fitting


5905339226723













Date of issue: 16.11.2022, 01:13









Kanlux NOTUS 4LED luminaires are façade raster luminaires adapted to T8 LED fluorescent lamps. They are manufactured in Poland of components provided by Polish suppliers. Raster lighting is a solution for office and industrial interiors. Additionally, LED fluorescent lamps contribute to lower energy consumption.

GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted Place of application: Indoors

Minimum distance from the illuminated object: 0,5m Power supply of T8 LED fluorescent lamps: Unilateral

Length [mm]: 1223 Width [mm]: 295 Height [mm]: 75

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50

Maximum power [W]: 2 x max 36

Class of protection against electric shock: |

Light source: T8 LED Light source included: no

Cap: G13

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: steel

Reflector material: aluminum alloy **Connection type**: Self-clamping block

Range of sections of wires used [mm 2]: $1 \div 2,5$

IP class: 20

LOGISTIC DATA:

Packaging method: 1

Number of units in the secondary packaging: 1

Number of units in the packaging: 1

Net unit weight [g]: 2600 Grammage [g]: 3130

Length of a unit pack [cm]: 125 Width of a unit pack [cm]: 30.5 Height of a unit pack [cm]: 8.5

Weight of a cardboard box [kg]: 3.13 Width of a cardboard box [cm]: 31 Height of a cardboard box [cm]: 8.8






Ceiling louver fitting

Length of a cardboard box [cm]: 125.5 Volume of a cardboard box [m³]: 0.034236


KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv4 / LDC (Polar)


Luminaire: KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv4 Lamps: 2 x T8 LED GLASSv4 18W-NW



KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv3 Lamps: 2 x T8 LED GLASSv3 18W-NW





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.






Ceiling louver fitting


KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv2 / Krzywa rozsyłu światła (biegunowo)


Oprawa: KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + GLASSv2 Lampy: 2 x T8 LED GLASSv2 18W-WW



KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + T8 Miledo / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22672) NOTUS 4LED 236 NT + T8 Miledo Lampy: 2 x T8 LED 16W-NW





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





Ceiling louver fitting

ACCESSORIES:

07870 ROPE-NT 150




ROPE-NT 150 steel rope (double) for suspending fittings, 2 pcs. in a set

07871 ROPE-NT 150 SINGLE

ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

