


Garden light fitting with replaceable light source

5905339235121



IP
44



Extraordinary yet simple in its form - recessed ground lamp Kanlux IDAVA is perfect for creating bright spaces in the garden. The luminaires are characterised by a high degree of tightness, and its construction and plastic of which the shade is made, additionally protects the light source from the influence of external factors.

GENERAL DATA:

Colour: white

Place of assembly: In the ground

Place of application: Indoors and outdoors

Minimum distance from the illuminated object: 0,2m

Height [mm]: 670

Diameter [mm]: 470

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC

Rated frequency [Hz]: 50

Maximum power [W]: 40

Class of protection against electric shock: II

Lampshade material: plastic

Light source: GLS/CFL/LED

Light source included: no

Cap: E27

Ambient temperature range to which the product can be exposed: -10÷35

Enclosure material: plastic

Connection type: Cable terminated with a plug

Range of sections of wires used [mm²]: 0,5÷2,5

Wire length [m]: 3

Wire diameter [mm²]: 1

IP class: 44

LOGISTIC DATA:

Packaging method: 1

Number of units in the secondary packaging: 1

Number of units in the packaging: 1

Net unit weight [g]: 1700

Grammage [g]: 2780

Length of a unit pack [cm]: 47

Width of a unit pack [cm]: 47

Height of a unit pack [cm]: 47

Weight of a cardboard box [kg]: 2.78

Width of a cardboard box [cm]: 47

Height of a cardboard box [cm]: 47

Garden light fitting with replaceable light source

Length of a cardboard box [cm] : 47


Volume of a cardboard box [m³]: 0.103823

ADDITIONAL INFORMATION:

- a cable of 3m in a set

KANLUX S.A. (kat 23512) IDAVA 47 / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 23512) IDAVA 47
Lampy: 1 x A80 40W/c



23512 IDAVA 47

Garden light fitting with replaceable light source

ACCESSORIES:

23513 GL-IDAVA PS LS 25 Shade for IDAVA 25 fitting



23514 GL-IDAVA PS LS 35 Shade for IDAVA 35 fitting



23515 GL-IDAVA PS LS 47 Shade for IDAVA 47 fitting



23516 IDAVA SPIKE Base for IDAVA fitting

