

26683 ASTEN IP44 8W-NW-B

LED wall mounted fitting

5905339266835

IP
44



Kanlux ASTEN LED is a linear wall luminaire to be used in places with increased humidity (IP44). You can easily mount it above the bathroom mirror. The lamp has a built-in light source based on SMD LED diodes, which lifetime is at least 25,000 hours.

GENERAL DATA:


Colour: black
Place of assembly: wall mounted
Place of application: Indoors
Minimum distance from the illuminated object: 0,1m
Compatible with a dimmer: no
Fixture lighting direction: down
Length [mm]: 400
Width [mm]: 110
Height [mm]: 42
Mercury content: no
Mercury content in the lamp [mg]: 0
Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Maximum power [W]: 8
Class of protection against electric shock: II
Lampshade material: plastic
Enclosure material: aluminum alloy
Diode type: LED SMD
Luminous flux [lm]: 590
Useful luminous flux of the light source Φ_{use} [lm]: 980
Useful luminous flux of the light source Φ_{use} [lm]: in sphere (360°)
Colour temperature: white
Correlated colour temperature [K]: 4000
Colour consistency in McAdam ellipses: ≤ 6
Colour rendering index: 80
Service life [h]: 25000
Number of on/off cycles: ≥ 15000
Lighting angle [°]: X120/Y105

26683 ASTEN IP44 8W-NW-B

LED wall mounted fitting



Luminous efficiency of the lamp [lm/W]: 74

Ambient temperature range to which the product can be exposed: 5÷30

Connection type: Bolt terminal block

Range of sections of wires used [mm²]: 0,75÷1,5

IP class: 44

Kształt: rectangular

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 20

Number of units in the secondary packaging : 1

Number of units in the packaging : 20

Net unit weight [g]: 212

Grammage [g]: 362.5

Gross unit weight [g]: 310

Length of a unit pack [cm]: 13

Width of a unit pack [cm]: 5

Height of a unit pack [cm]: 41


Weight of a cardboard box [kg]: 7.25

Width of a cardboard box [cm]: 45

Height of a cardboard box [cm]: 27


Length of a cardboard box [cm]: 53

Volume of a cardboard box [m³]: 0.064395



26683 ASTEN IP44 8W-NW-B

LED wall mounted fitting



Date of issue: 20.05.2025, 08:23

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com