

26685 ASTEN IP44 15W-NW-B

LED wall mounted fitting 5905339266859









Kanlux ASTEN LED is a linear wall luminaire to be used in places with increased humidity (IP44). You can easily mount it above the bathroom mirror. The lamp has a built-in light source based on SMD LED diodes, which lifetime is at least 25,000 hours.

GENERAL DATA:

Colour: black Place of assembly: wall mounted Place of application: Indoors Minimum distance from the illuminated object: 0,1m Compatible with a dimmer: no Fixture lighting direction: down Length [mm]: 900 Width [mm]: 100 Height [mm]: 42 Mercury content: no Mercury content in the lamp [mg]: 0 Integrated LED light source: yes

TECHNICAL DATA:


Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 15 Class of protection against electric shock : II Lampshade material: plastic Enclosure material: aluminum alloy Diode type: LED SMD Luminous flux [lm]: 1230 Useful luminous flux of the light source Quse [Im]: 1900 Useful luminous flux of the light source **Quse** [Im] : in sphere (360°) Colour temperature: white Correlated colour temperature [K]: 4000 Colour consistency in McAdam ellipses : ≤6 Colour rendering index: 80 Service life [h]: 25000 Number of on/off cycles: ≥15000 Lighting angle [°]: X120/Y105





26685 ASTEN IP44 15W-NW-B

LED wall mounted fitting






Luminous efficiency of the lamp [lm/W]: 82 Ambient temperature range to which the product can be exposed: 5÷30 Connection type: Bolt terminal block Range of sections of wires used [mm²]: 0,75÷1,5 IP class: 44 Kształt: rectangular

LOGISTIC DATA:

Unit of measurement: unit Packaging method: 10 Number of units in the secondary packaging: 1 Number of units in the packaging: 10 Net unit weight [g]: 370 Grammage [g]: 675 Length of a unit pack [cm]: 13 Width of a unit pack [cm]: 5 Height of a unit pack [cm]: 91 Weight of a cardboard box [kg]: 6.75 Width of a cardboard box [cm]: 27.5 Height of a cardboard box [cm]: 27.5 Length of a cardboard box [cm]: 27.5 Length of a cardboard box [cm]: 93 Volume of a cardboard box [m³]: 0.070331





26685 ASTEN IP44 15W-NW-B

LED wall mounted fitting

