


## 26687 ASTEN IP44 12W-NW-W

LED wall mounted fitting

5905339266873

IP  
44



Kanlux ASTEN LED is a linear wall luminaire to be used in places with increased humidity (IP44). You can easily mount it above the bathroom mirror. The lamp has a built-in light source based on SMD LED diodes, which lifetime is at least 25,000 hours.

### GENERAL DATA:


**Colour:** white  
**Place of assembly:** wall mounted  
**Place of application:** Indoors  
**Minimum distance from the illuminated object:** 0,1m  
**Compatible with a dimmer:** no  
**Fixture lighting direction:** down  
**Length [mm]:** 600  
**Width [mm]:** 110  
**Height [mm]:** 42  
**Mercury content:** no  
**Mercury content in the lamp [mg]:** 0  
**Integrated LED light source:** yes

### TECHNICAL DATA:

**Rated voltage [V]:** 220-240 AC  
**Rated frequency [Hz]:** 50  
**Maximum power [W]:** 12  
**Class of protection against electric shock:** II  
**Lampshade material:** plastic  
**Enclosure material:** aluminum alloy  
**Diode type:** LED SMD  
**Luminous flux [lm]:** 1070  
**Useful luminous flux of the light source  $\Phi_{use}$  [lm]:** 1450  
**Useful luminous flux of the light source  $\Phi_{use}$  [lm]:** in sphere (360°)  
**Colour temperature:** white  
**Correlated colour temperature [K]:** 4000  
**Colour consistency in McAdam ellipses:**  $\leq 6$   
**Colour rendering index:** 80  
**Service life [h]:** 25000  
**Number of on/off cycles:**  $\geq 15000$   
**Lighting angle [°]:** X120/Y105

## 26687 ASTEN IP44 12W-NW-W

LED wall mounted fitting



**Luminous efficiency of the lamp [lm/W] :** 89

**Ambient temperature range to which the product can be**

**exposed:** 5÷30

**Connection type:** Bolt terminal block

**Range of sections of wires used [mm²] :** 0,75÷1,5

**IP class:** 44

**Kształt:** rectangular

### LOGISTIC DATA:

**Unit of measurement:** unit

**Packaging method:** 20

**Number of units in the secondary packaging :** 1

**Number of units in the packaging :** 20

**Net unit weight [g] :** 270

**Grammage [g] :** 460.5

**Length of a unit pack [cm] :** 13

**Width of a unit pack [cm] :** 5

**Height of a unit pack [cm] :** 61


**Weight of a cardboard box [kg] :** 9.21

**Width of a cardboard box [cm] :** 53

**Height of a cardboard box [cm] :** 27.5

**Length of a cardboard box [cm] :** 63

**Volume of a cardboard box [m³] :** 0.091823



## 26687 ASTEN IP44 12W-NW-W

LED wall mounted fitting

