

26964 MEBA 4LED 2X120 OP PS


T8 LED tube linear fittings 5905339269645



















Kanlux MEBA 4LED is a LED version of Kanlux MEBA linear luminaire. T8 LED tubes used in it guarantee more economical and longer operation, which positively translates into the comfort of use in beauty and hairdresser salons, and office spaces.

GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted Place of application: Indoors

Minimum distance from the illuminated object: 0,5m Power supply of T8 LED fluorescent lamps: Unilateral

Length [mm]: 1250 Width [mm]: 153 Height [mm]: 65

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50

Maximum power [W]: 2 x max 36

Class of protection against electric shock: I

Lampshade material: PS Light source: T8 LED Light source included: no

Cap: G13

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: plastic, steel
Connection type: Bolt terminal block

Range of sections of wires used [mm²]: 1-2,5

IP class: 20

LOGISTIC DATA:

Unit of measurement: unit Packaging method: 8

Number of units in the secondary packaging: 1

Number of units in the packaging: 8

Net unit weight [g]: 1200 Grammage [g]: 1620

Length of a unit pack [cm]: 127 Width of a unit pack [cm]: 15.5 Height of a unit pack [cm]: 7

Weight of a cardboard box [kg]: 12.96 Width of a cardboard box [cm]: 29.5

Date of issue: 08.12.2023, 10:52


We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





26964 MEBA 4LED 2X120 OP PS

T8 LED tube linear fittings






Height of a cardboard box [cm]: 32.5 Length of a cardboard box [cm]: 128 Volume of a cardboard box [m³]: 0.12272

ADDITIONAL INFORMATION:

• the fittings are intended for sources T8 LED 220-240 $V\sim$; 50/60 Hz with one-sided power supply


KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + GLASSv4 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + GLASSv4 Lamps: 2 x T8 LED GLASSv4 18W-NW



KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + GLASSv3 / LDC (Polar)

uminaire: KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + GLASSV3 amps: 2 x T8 LED GLASSV3 18W-NW











26964 MEBA 4LED 2X120 OP PS

T8 LED tube linear fittings





Luminaire: KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + GLASSV2 Lamps: 2 x T8 LED GLASSV2 18W-WW



KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + Miledo / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26964) MEBA 4LED 2X120 OP PS + Miled





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

