

27419 ALIN 4LED 1X120-W-NT

T8 LED tube linear fittings


5905339274199













GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Fixture lighting direction: down

Power supply of T8 LED fluorescent lamps: Unilateral

Length [mm]: 1240 Width [mm]: 60 Height [mm]: 69

Wersja do łączenia w linie [element początkowy] LF:

33793 (NT), 33788 (Z)

Wersja do łączenia w linie [element środkowy] LM: 33799

(NT), 33794 (Z)

Wersja do łączenia w linie [element końcowy] LL: 33805

(NT), 33800 (Z)

Explanation of markings and signs used: (Z) - for suspension on the ceiling, (NT) - ceiling mounted

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: max 36

Class of protection against electric shock: |

Lampshade material: plastic

Light source: T8 LED Light source included: no

Cap: G13

Ambient temperature range to which the product can be

exposed: 5÷25 Shade type: matt

Enclosure material: aluminum alloy **Connection type**: Self-clamping block

Range of sections of wires used [mm²]: $1,5 \div 2,5$

IP class: 20

LOGISTIC DATA:

Packaging method: 1


Number of units in the secondary packaging: 1


Number of units in the packaging: 1

Net unit weight [g]: 1700 Grammage [g]: 2030

Length of a unit pack [cm]: 136 Width of a unit pack [cm]: 11 Height of a unit pack [cm]: 7

Weight of a cardboard box [kg]: 2.03










27419 ALIN 4LED 1X120-W-NT

T8 LED tube linear fittings

Width of a cardboard box [cm]: 11 Height of a cardboard box [cm]: 7 Length of a cardboard box [cm]: 136 Volume of a cardboard box [m³]: 0.010472


KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv4 / LDC (Polar)


Luminaire: KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv4 Lamps: 1 x T8 LED GLASSv4 18W-NW



KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASS/3 Lamps: 1 x T8 LED GLASS/3 18W-NW





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





27419 ALIN 4LED 1X120-W-NT

T8 LED tube linear fittings

