

## 28933 ROUNDA V2LED18W-NW-SR


# Downlight fitting 5905339289339













Kanlux ROUNDA V2LED is a new version of popular round downlight luminaires for indoor use. The downlights combine aesthetic design with light obtained thanks to LED technology. No water or dust can get to the inside owing to the high class of tightness (IP44).

## GENERAL DATA:

Colour: silver Place of assembly: Recessed mount in the ceiling Place of application: Indoors Minimum distance from the illuminated object: 0,5m Compatible with a dimmer: no The product is not suitable to be covered with a heat-insulating material: yes Height [mm]: 20 Diameter [mm]: 220 Assembly hole [mm]: Ø208 Integrated LED light source: yes

#### TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 18 Class of protection against electric shock : II Lampshade material: plastic Diode type: LED SMD Luminous flux [lm]: 1080 Useful luminous flux of the light source Quse [Im]: 2100 Useful luminous flux of the light source Quse [Im] : in sphere (360°) Colour temperature: white Correlated colour temperature [K]: 4000 Colour consistency in McAdam ellipses : ≤6 Colour rendering index: 80 Cap (Light source): wires Service life [h]: 15000 Number of on/off cycles: ≥20000 Lighting angle [°]: 110 Luminous efficiency of the lamp [lm/W]: 60 Ambient temperature range to which the product can be exposed: 5+25 Enclosure material: aluminum alloy Connection type: Free cable ends

Date of issue: 23.09.2024, 14:27

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.



## Kanlux

## 28933 ROUNDA V2LED18W-NW-SR


### Downlight fitting



Wire length [m]: 0.05 Wire diameter [mm<sup>2</sup>]: 0.75 Lamp-heating time [s]:  $\leq 1$ Lamp-ignition time [s]:  $\leq 0.5$ IP class: 44/20

#### LOGISTIC DATA:

Unit of measurement: unit Packaging method: 20 Number of units in the secondary packaging: 1 Number of units in the packaging: 20 Net unit weight [g]: 354 Grammage [g]: 486 Gross unit weight [g]: 478 Length of a unit pack [cm]: 23 Width of a unit pack [cm]: 23 Width of a unit pack [cm]: 3 Height of a cardboard box [kg]: 9.72 Width of a cardboard box [cm]: 34 Height of a cardboard box [cm]: 31.5 Length of a cardboard box [cm]: 48 Volume of a cardboard box [m<sup>3</sup>]: 0.051408





## 28933 ROUNDA V2LED18W-NW-SR

#### Downlight fitting

