

29210 MERA LED 5W NW

LED under cabinet fitting 5905339292100















Kanlux MERA LED is an under-cupboard luminaire with an integrated LED light source. The luminaires are available in sizes ranging from 28 to 114 cm. Moreover, we can connect them in lines (up to 5 luminaires) using Kanlux MERA LED PP connectors.

GENERAL DATA:

Colour: white

Place of assembly: wall mounted, ceiling mounted

Place of application: Indoors

Minimum distance from the illuminated object: 0,3m

Compatible with a dimmer: no

On switch: yes Length [mm]: 277 Width [mm]: 23 Height [mm]: 36

Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 5

Class of protection against electric shock: ||

Lampshade material: plastic Diode type: LED SMD Luminous flux [lm]: 490

Useful luminous flux of the light source Φ use [lm] : 630 Useful luminous flux of the light source Φ use [lm] : in sphere

(360°)

Colour temperature: white

Correlated colour temperature [K]: 4000 Colour consistency in McAdam ellipses: ≤6

Colour rendering index: 80 Service life [h]: 30000

Number of on/off cycles: ≥15000

Lighting angle [°]: 150

Luminous efficiency of the lamp [lm/W]: 98

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: plastic

Connection type: Cable terminated with a plug

Wire length [m]: 1.5 Lamp-heating time [s]: ≤1 Lamp-ignition time [s]: ≤0,5

Date of issue: 10.04.2024, 13:11

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





29210 MERA LED 5W NW

LED under cabinet fitting





Maximum number of fixtures with loop-through connections: 5

IP class: 20

LOGISTIC DATA:


Unit of measurement: unit Packaging method: 30

Number of units in the secondary packaging: 1


Number of units in the packaging: 30

Net unit weight [g]: 174
Grammage [g]: 236.33
Gross unit weight [g]: 210
Length of a unit pack [cm]: 7.5
Width of a unit pack [cm]: 3.5
Height of a unit pack [cm]: 30.5

Weight of a cardboard box [kg]: 7.0899
Width of a cardboard box [cm]: 32
Height of a cardboard box [cm]: 23.5
Length of a cardboard box [cm]: 39
Volume of a cardboard box [m³]: 0.029328



KANLUX S.A. (kat 29210) MERA LED 5W NW / LDC (Polar)



Date of issue: 10.04.2024, 13:11

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





29210 MERA LED 5W NW

LED under cabinet fitting



29214

MERA LED PP

Luminaire connecting cable MERA LED PP



Date of issue: 10.04.2024, 13:11

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

