


# 31059 RSTR N 418/4LED/PT-H

### Embedded louver fitting

8595665399764









Raster luminaires are often installed in places such as conference rooms, passageways, shops, storehouses, and in all venues where we need proper lighting. RSTR 4LED luminaires are adapted to T8 LED fluorescent lamps.

#### **GENERAL DATA:**

Colour: white

Place of assembly: Recessed mount in the ceiling Place of application: Indoors Minimum distance from the illuminated object: 0,5m Replaceable light source: yes The product is not suitable to be covered with a heatinsulating material: yes Light source included: no Power supply of T8 LED fluorescent lamps: Unilateral Length [mm]: 625 Width [mm]: 595 Height [mm]: 84

### TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50/60 Maximum power [W]: 4 x max 18 Class of protection against electric shock: I Light source: T8 LED Cap: G13 Ambient temperature range to which the product can be exposed: 5÷25 The fixture is adapted to the light sources of the following energy classes: A++,A+,A Enclosure material: steel Reflector material: steel sheet coated with aluminium foil Connection type: Bolt terminal block Range of sections of wires used [mm<sup>2</sup>]: 1÷2,5 IP class: 20

### LOGISTIC DATA:

Unit of measurement: unit Packaging method: 2 Number of units in the secondary packaging: 1 Number of units in the packaging: 2 Net unit weight [g]: 1814 Grammage [g]: 2300 Length of a unit pack [cm]: 64 Width of a unit pack [cm]: 18





## 31059 RSTR N 418/4LED/PT-H

### Embedded louver fitting




Height of a unit pack [cm]: 62 Weight of a cardboard box [kg]: 4.6 Width of a cardboard box [cm]: 18 Height of a cardboard box [cm]: 62 Length of a cardboard box [cm] : 64 Volume of a cardboard box [m<sup>3</sup>]: 0.071424

#### ADDITIONAL INFORMATION:

• fluorescent lamp sockets concealed with a reflector


MILEDO (kat 31059) RSTR N 418/4LED/PT-H i GLASSv3 / LDC (Polar) Luminaire: MILEDO (kat 31059) RSTR N 418/4LED/PT-H i GLASSv3 Lamps: 4 x T8 LED GLASSv3 9W-NW



- C90 - C270

MILEDO (kat 31059) RSTR N 418/4LED/PT-H i GLASSv2 / LDC (Polar)

Luminaire: MILEDO (kat 31059) RSTR N 418/4LED/PT-H i GLASSv2 Lamps: 4 x T8 LED GLASSv2 9W-WW



cd/klm C0 - C180 - C90 - C270



# 31059 RSTR N 418/4LED/PT-H

### Embedded louver fitting

MILEDO (kat 31059) RSTR N 418/4LED/PT-H i T8 Miledo / LDC (Polar)

Luminaire: MILEDO (kat 31059) RSTR N 418/4LED/PT-H i T8 Miledo Lamps: 4 x T8 LED 9W-NW

