


# 31174 BAREV BL 40W 12030 NW

LED panel

8595665311742



## GENERAL DATA:

**Colour:** white

**Place of assembly:** ceiling mounted, Recessed mount in the ceiling

**Place of application:** Indoors

**Minimum distance from the illuminated object:** 0,5m

**Compatible with a dimmer:** no

**The product is not suitable to be covered with a heat-insulating material:** yes

**Length [mm]:** 1195

**Width [mm]:** 295

**Height [mm]:** 30

**Integrated LED light source:** yes

**Number of modules (LED light source):** 3

## TECHNICAL DATA:

**Rated voltage [V]:** 220-240 AC

**Rated frequency [Hz]:** 50

**Maximum power [W]:** 40

**Class of protection against electric shock:** I

**Lampshade material:** plastic

**Enclosure material:** steel

**Diode type:** LED SMD

**Luminous flux of the light fitting [lm]:** 4000

**Useful luminous flux of the light source  $\Phi_{use}$  [lm]:** 1520

**Useful luminous flux of the light source  $\Phi_{use}$  [lm]:** in sphere (360°)

**Colour temperature:** white

**Correlated colour temperature [K]:** 4000

**Colour consistency in McAdam ellipses:**  $\leq 6$

**Colour rendering index:** 80

**Service life [h]:** 30000

**Number of on/off cycles:**  $\geq 15000$

**Lighting angle [°]:** 110

**Luminous efficiency of the lamp [lm/W]:** 100

**Ambient temperature range to which the product can be exposed:** 5÷25

**Connection type:** Terminal block

**IP class:** 20

**Kształt:** rectangular


# 31174 BAREV BL 40W 12030 NW

## LED panel




### LOGISTIC DATA:

**Unit of measurement:** unit  
**Packaging method:** 6  
**Number of units in the secondary packaging :** 1  
**Number of units in the packaging :** 6  
**Net unit weight [g] :** 2116  
**Grammage [g] :** 2565  
**Gross unit weight [g] :** 2412  
**Length of a unit pack [cm] :** 120.5  
**Width of a unit pack [cm] :** 30.5  
**Height of a unit pack [cm] :** 4  
**Weight of a cardboard box [kg] :** 15.39  
**Width of a cardboard box [cm] :** 26  
**Height of a cardboard box [cm] :** 33.5  
**Length of a cardboard box [cm] :** 123  
**Volume of a cardboard box [m³] :** 0.107133



MILED0 (kat 31174) BAREV BL 40W 12030 NW / Krzywa rozsyłu światła (biegunowo)

Oprawa: MILED0 (kat 31174) BAREV BL 40W 12030 NW  
Lampy: 3 x BAREV BL 40W 12030 NW



Date of issue: 27.03.2025, 12:31

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Aprisa s.r.o. Sadová 618, 738 01, Frýdek-Místek, Czech Republic [aprisa@aprisa.cz](mailto:aprisa@aprisa.cz)