

## 33181 BLINGO IPR 38W 6060NW


Recessed-mounted LED panel

5905339331816



HIGH  
~100 lm/W

5  
WARRANTY  
5 years



Kanlux BLINGO LED are backlite panels equipped with lenses that extend

### GENERAL DATA:

**Colour:** white

**Place of assembly:** Recessed mount in the ceiling

**Place of application:** Indoors

**Minimum distance from the illuminated object :** 0,5m

**Compatible with a dimmer :** no

**The product is not suitable to be covered with a heat-insulating material:** yes

**Feeder included:** yes

**Length [mm]:** 595

**Width [mm]:** 595

**Height [mm]:** 35

**Integrated LED light source :** yes

### TECHNICAL DATA:

**Rated voltage [V]:** 220-240 AC

**Rated frequency [Hz]:** 50

**Maximum power [W]:** 38

**Class of protection against electric shock :** II

**Lampshade material:** plastic

**Diode type:** LED SMD

**Luminous flux of the light fitting [lm]:** 3800

**Useful luminous flux of the light source  $\Phi_{use}$  [lm] :** 4940

**Useful luminous flux of the light source  $\Phi_{use}$  [lm] :** in sphere (360°)

**Colour temperature:** white

**Correlated colour temperature [K]:** 4000

**Colour consistency in McAdam ellipses :**  $\leq 6$

**Colour rendering index:** 80

**Service life [h]:** 50000

**Luminous-flux-retention factor at the end of rated service life :** L70B50

**Number of on/off cycles :**  $\geq 30000$

**Lighting angle [°]:** 120

**Luminous efficiency of the lamp [lm/W]:** 100

**Ambient temperature range to which the product can be exposed:** 5÷25

**Enclosure material:** steel

**Panel/frame material:** steel

**Connection type:** Terminal block

**Power-supply type:** direct current

## 33181 BLINGO IPR 38W 6060NW

Recessed-mounted LED panel




Lamp-heating time [s]:  $\leq 1$   
Lamp-ignition time [s]:  $\leq 0,5$   
IP class: 44/20

### LOGISTIC DATA:

Unit of measurement: unit  
Packaging method: 5  
Number of units in the secondary packaging : 1  
Number of units in the packaging : 5  
Net unit weight [g]: 1550  
Grammage [g]: 2302  
Length of a unit pack [cm]: 60  
Width of a unit pack [cm]: 3.5  
Height of a unit pack [cm]: 64  
Weight of a cardboard box [kg]: 11.51  
Width of a cardboard box [cm]: 26  
Height of a cardboard box [cm]: 64  
Length of a cardboard box [cm] : 70  
Volume of a cardboard box [m<sup>3</sup>] : 0.11648

### ADDITIONAL INFORMATION:

- 5 years Warranty under the terms of the warranty statement, available on our website




## 33181 BLINGO IPR 38W 6060NW

Recessed-mounted LED panel

KANLUX S.A. (kat 33181) BLINGO IPR 38W 6060NW / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33181) BLINGO IPR 38W 6060NW  
Lamps: 1 x BLINGO IPR 38W 6060NW



### ACCESSORIES

28515

BLINGO DALI SET 38W

Set containing accessories and a power supply unit enabling communication in line with DALI protocol (28515)

