


X-type branched connector

5905339332479









#### GENERAL DATA:

Colour: black

Place of assembly: rail TEAR Place of application: Indoors

#### TECHNICAL DATA:

Rated voltage [V]: 220-240 AC

Rated current [A]: 16 Rated frequency [Hz]: 50

Class of protection against electric shock: |

Ambient temperature range to which the product can be

exposed: 5÷25

**Enclosure material**: plastic

IP class: 20

#### LOGISTIC DATA:

Packaging method: 10

Number of units in the secondary packaging: 1

Number of units in the packaging: 10

Net unit weight [g]: 204 **Grammage [g]**: 236

Length of a unit pack [cm]: 17.5 Width of a unit pack [cm]: 3.5 Height of a unit pack [cm]: 22

Weight of a cardboard box [kg]: 2.36 Width of a cardboard box [cm]: 17.5 Height of a cardboard box [cm]: 21 Length of a cardboard box [cm]: 29

Volume of a cardboard box [m<sup>3</sup>]: 0.010658

#### **ADDITIONAL INFORMATION:**

• Cross connector with plug L, L, R, R designed to connect four tracks in right angles.

#### **ACCESSORIES:**

33230 TEAR N TR 1M-W



Track system component, TEAR N TR 1M-W, 3-circuit track, white, (33230)

33231 TEAR N TR 1M-B

Track system component, TEAR N TR 1M-B, 3-circuit track, black,



Date of issue: 16.11.2022, 07:35

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.



### X-type branched connector



**33232** TEAR N TR 2M-W



Track system component, TEAR N TR 2M-W, 3-circuit track, white, (33232)

33233

TEAR N TR 2M-B



Track system component, TEAR N TR 2M-B, 3-circuit track, black, (33233)

33234

TEAR N PCON R-W

Track system component, TEAR N PCON R-W, power connector with plug R , white, (33234)



33235 TEAR N PCON R-B


Track system component, TEAR N PCON R-B, power connector with plug R , black, (33235)



33260 TEAR N PCON L-W

Track system component, TEAR N PCON L-W, power connector with plug L, white, (33260)





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





### X-type branched connector

33261 TEAR N PCON L-B

Track system component, TEAR N PCON L-B, power connector with plug L, black, (33261)



33236 TEAR N EPLUG W

Track system component, TEAR N EPLUG W, end plug, white, (33236)



33237 TEAR N EPLUG B

Track system component, TEAR N EPLUG B, end cap, black, (33237)



33238 TEAR N ICON-I W

Track system component, TEAR N ICON-I W, straight connector type "I" internal with plugs L, R, white, (33238)



**33239** TEAR N ICON-I B


Track system component, TEAR N ICON-I B, straight connector type "I" internal with plugs L, R, black, (33239)



**33240** TEAR N CON-I W

Track system component, TEAR N CON-I W, straight connector type "I" with plugs L, R, white, (33240)





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





### X-type branched connector

**33241** TEAR N CON-I B

Track system component, TEAR N CON-I B, straight connector type "I" with plugs L, R, black, (33241)



33252 TEAR N CON-I FLEX W

Track system component, TEAR N CON-I FLEX W, flexible connector with plugs L, R, white, (33252)



33253 TEAR N CON-I FLEX B

Track system component, TEAR N CON-I FLEX B, flexible connector with plugs L, R, black, (33253)



33242 TEAR N CON-L RL-W

Track system component, TEAR N CON-L RL-W, corner connector type "L" with plugs R, L, white, (33242)



33243 TEAR N CON-L RL-B

Track system component, TEAR N CON-L RL-B, corner connector type "L" with plugs R, L, black, (33243)



33244 TEAR N CON-L LR-W

Track system component, TEAR N CON-L LR-W, corner connector type "L" with plugs L, R, white, (33244)







### X-type branched connector

33245 TEAR N CON-L LR-B

Track system component, TEAR N CON-L LR-B, corner connector type "L" with plugs L, R, black, (33245)



**33246** TEAR N CON-X W

Track system component, TEAR N CON-X W, cross connector with plugs L, L, R, R, white, (33246)



**33247** TEAR N CON-X B

Track system component, TEAR N CON-X B, cross connector with plugs L, L, R, R, black, (33247)



33248 TEAR N CON-T RRL-W

Track system component, TEAR N CON-T RRL-W, connector type "T" with plugs R, R, L, white , (33248)



33249 TEAR N CON-T RRL-B

Track system component, TEAR N CON-T RRL-B, connector type "T" with plugs R, R, L, black, (33249)



33250 TEAR N CON-T RLL-W

Track system component, TEAR N CON-T RLL-W, connector type "T" with plugs R, L, L, white , (33250)







### X-type branched connector

33251 TEAR N CON-T RLL-B

Track system component, TEAR N CON-T RLL-B, connector type "T" with plugs R, L, L, black, (33251)



33262 TEAR N CON-T LRR-W

Track system component, TEAR N CON-T LRR-W, connector type "T" with plugs L, R, R, white , (33262)



33263 TEAR N CON-T LRR-B

Track system component, TEAR N CON-T LRR-B, connector type "T" with plugs L, R, R, black, (33263)



33264 TEAR N CON-T LLR-W

Track system component, TEAR N CON-T LLR-W, connector type "T" with plugs L, L, R , white , (33264)



33265 TEAR N CON-T LLR-B


Track system component, TEAR N CON-T LLR-B, connector type "T" with plugs L, L, R, black, (33265)




33256 TEAR N SKIT W

Track system component, TEAR N SKIT W, suspension with self-regulation and cord 2m, white, (33256)











# X-type branched connector

33257 TEAR N SKIT B Track system component, TEAR N SKIT B, suspension with self-regulation and cord 2m, black, (33257)





33254 TEAR N SCLAMP W Track system component, TEAR N SCLAMP W, mounting/stiffening suspension clamp, white , (33254)



33255 TEAR N SCLAMP B Track system component, TEAR N SCLAMP B,







We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

