

33891 MEBA LED 22-40W NW/WW

Linear LED luminaire 5905339338914

























Kanlux MEBA LED is a series of surface-mounted luminaires that complement the popular family of Kanlux MEBA luminaires. We have a choice of models with a length of 610mm (12 / 20W) and 1200mm (22 / 40W), each of them has two power options and two light colors options (3000 / 4000K) in one housing. Kanlux MEBA LED means high luminous efficiency (up to 125lm / W), durability of 50,000 hours and a 5-year warranty. An additional advantage of these luminaires is a durable, grooved PC diffuser.

GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Compatible with a dimmer: no

Length [mm]: 1200 Width [mm]: 160 Height [mm]: 62

Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 22/40

Class of protection against electric shock: |

Lampshade material: PC Diode type: LED SMD

Luminous flux [lm]: 2500(WW) 2700(NW) / 4200(WW) 4400(NW)

Colour temperature: Warm white, white

Correlated colour temperature [K]: 3000/4000 Colour consistency in McAdam ellipses: ≤6

Colour rendering index: 80 Service life [h]: 50000

Luminous-flux-retention factor at the end of rated service life :

L80B10

Number of on/off cycles: ≥30000

Lighting angle [°]: 120

Skuteczność świetlna modułu LED [lm/W]: 173

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: steel

Connection type: Self-clamping block

Range of sections of wires used [mm²]: 0,75-2

Date of issue: 25.03.2024, 14:30


We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





33891 MEBA LED 22-40W NW/WW

Linear LED luminaire





Lamp-heating time [s]: <1Lamp-ignition time [s]: ≤ 0.5

IP class: 20

LOGISTIC DATA:

Unit of measurement: unit Packaging method: 6

Number of units in the secondary packaging: 1

Number of units in the packaging: 6


Net unit weight [g]: 1860 Grammage [g]: 2405

Length of a unit pack [cm]: 121 Width of a unit pack [cm]: 16.5 Height of a unit pack [cm]: 6.5

Weight of a cardboard box [kg]: 14.43
Width of a cardboard box [cm]: 22
Height of a cardboard box [cm]: 35.5
Length of a cardboard box [cm]: 124.5
Volume of a cardboard box [m³]: 0.097235

ADDITIONAL INFORMATION:

 5 years Warranty under the terms of the warranty statement, available on our website











33891 MEBA LED 22-40W NW/WW

Linear LED luminaire



Luminaire: KANLUX S.A. (kat 33891) MEBA LED 22-40W NW/WW (22W) Lamps: 1 x MEBA LED 22W WW



KANLUX S.A. (kat 33891) MEBA LED 22-40W NW/WW (40W) / LDC (Polar)

uminaire: KANLUX S.A. (kat 33891) MEBA LED 22-40W NW/WW (40V

