37387 XLED G45 E14 7W-NW

LED light source

5905339373878



Kanlux XLED combines the best features of traditional bulbs and modern LED light sources. Therefore, we talk about it as the first real LED bulb. A glass bulb in the shape of a traditional “ball” and LED diodes placed in such a way so that light can part in all directions. You choose from sources with E27 and E14 light bulb bases.

GENERAL DATA:

Colour: transparent
Compatible with a dimmer: no
Height [mm]: 78
Diameter [mm]: 45
Mercury content: no
Mercury content in the lamp [mg]: 0

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Rated power [W]: 7
Lampshade material: glass
Light source: G45
Diode type: LED FILAMENT
Total rated luminous flux [lm]: 1055
Useful luminous flux of the light source Φuse [lm]: 1055
Useful luminous flux of the light source Φuse [lm]: in sphere (360°)
Colour temperature: white
Correlated colour temperature [K]: 4000
Colour consistency in McAdam ellipses: 6
Colour rendering index: 80
Cap (Light source): E14
Rated lamp-service life [h]: 15000
Number of on/off cycles: ≥25000
Rated beam angle [°]: 320
Rated light level [°]: 320
Lamp rated current [mA]: 40
Luminous efficiency of the lamp [lm/W]: 151
Lamp premature-failure indicator: <5% po 1000h
Kształt: golf

Date of issue: 27.06.2025, 09:28

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

EN

37387 XLED G45 E14 7W-NW

LED light source

Energy efficiency class: D

LOGISTIC DATA:

Unit of measurement: unit
Packaging method: 10
Number of units in the secondary packaging: 10
Number of units in the packaging: 100
Net unit weight [g]: 14
Grammage [g]: 33.4
Gross unit weight [g]: 28
Length of a unit pack [cm]: 5
Width of a unit pack [cm]: 5
Height of a unit pack [cm]: 9.5
Weight of a cardboard box [kg]: 3.34
Width of a cardboard box [cm]: 28
Height of a cardboard box [cm]: 21.5
Length of a cardboard box [cm] : 53
Volume of a cardboard box [m³]: 0.031906



Date of issue: 27.06.2025, 09:28

Photometry: the results obtained from testing were from a specific sample.
Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

EN