


# **03854** DB118W 1X18P/SM

DB-series distribution board

5905339038548







DB series switchboards, meeting the requirement for heat resistance at the temperature of 650°C, can be used on non-flammable surfaces only (e.g. full solid walls made of non-combustible materials). They cannot be used on flammable surfaces (e.g. plasterboard, wood boards, etc.), on the so-called "hollow walls" or on technical sections.

### **GENERAL DATA:**

Colour: white

Place of assembly: wall mounted

Norm: PN-EN 62208

## TECHNICAL DATA:

Rated voltage [V]: 230/400 AC

Rated current [A]: 63 Rated frequency [Hz]: 50

Class of protection against electric shock: ||

Material: plastic

Number of modules: 18P

**Temperature resistance [°C]**: 650

IK class: 06 IP class: 30

number of rows: 1

### LOGISTIC DATA:

Packaging method: 20

Number of units in the secondary packaging: 1

Number of units in the packaging: 20

Net unit weight [g]: 400 Grammage [g]: 550

Length of a unit pack [cm]: 37.5 Width of a unit pack [cm]: 17 Height of a unit pack [cm]: 7

Weight of a cardboard box [kg]: 11 Width of a cardboard box [cm]: 36 Height of a cardboard box [cm]: 37 Length of a cardboard box [cm]: 76.5 Volume of a cardboard box [m³]: 0.101898







# **03854** DB118W 1X18P/SM

DB-series distribution board

Date of issue: 15.11.2022, 13:03
We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.