


# 70921 CYKLON EOL150B


### Ducted fan 8594056490127







Date of issue: 10.05.2024, 11:48



EAE

CE

diameter of 100, 120 and 150mm. They are made of plastic, in white colour. Their power is 19, 20 and 22W respectively. The number of rotations from each size comes to 2550/min.

#### GENERAL DATA:

Colour: white Place of assembly: Recessed mount in the wall Place of application: Indoors Length [mm]: 184 Width [mm]: 101 Height [mm]: 170 Assembly hole [mm]: Ø150

UK CA

### TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 22 Class of protection against electric shock : II Engine rotation: 2550 Bearing type: sliding Connection type: Terminal block Range of sections of wires used [mm²] : 1 Sound pressure [dB]: 38 Air Flow [m3/h]: 200 Motor-power consumption [W]: 22 IP class: X4 Protection class: II

#### LOGISTIC DATA:

Unit of measurement: unit Packaging method: 12 Number of units in the packaging: 12 Net unit weight [g]: 560 Grammage [g]: 716.67 Gross unit weight [g]: 666 Length of a unit pack [cm]: 17.5 Width of a unit pack [cm]: 11 Height of a unit pack [cm]: 19 Weight of a cardboard box [kg]: 8.60004 Width of a cardboard box [kg]: 36 Height of a cardboard box [cm]: 34.5 Length of a cardboard box [cm]: 39

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





## 70921 CYKLON EOL150B

Ducted fan

#### Volume of a cardboard box [m<sup>3</sup>]: 0.048438

#### ADDITIONAL INFORMATION:

- Rotation speed: 2550/min
- Efficiency 200m3/h
- Noise level 38dB (A)

