


Ceiling-mounted light fitting with replaceable light source

5905339089809



Kanlux JURBA is a hermetic ceiling light fixture of excellent workmanship. The fixture can be mounted both on ceilings and on walls, indoors and outdoors. The increased protection rating IP44 of Kanlux JURBA luminaires protects them from dust, particles and moisture.

### GENERAL DATA:

**Colour:** nickel satin

**Place of assembly:** wall mounted, ceiling mounted

**Place of application:** Indoors and outdoors

**Minimum distance from the illuminated object:** 0,5m

**Height [mm]:** 75

**Diameter [mm]:** 285

### TECHNICAL DATA:

**Rated voltage [V]:** 220-240 AC

**Rated frequency [Hz]:** 50

**Maximum power [W]:** 2 x max 18

**Class of protection against electric shock:** II

**Lampshade material:** PC

**Light source:** CFL/LED

**Light source included:** no

**Cap:** E27

**Ambient temperature range to which the product can be exposed:** -10÷35

**Enclosure material:** steel

**Connection type:** Bolt terminal block

**Range of sections of wires used [mm<sup>2</sup>]:** 1-2,5

**IK class:** 10

**IP class:** 44

### LOGISTIC DATA:

**Packaging method:** 8

**Number of units in the secondary packaging:** 1

**Number of units in the packaging:** 8

**Net unit weight [g]:** 1174

**Grammage [g]:** 1437.5

**Length of a unit pack [cm]:** 29

**Width of a unit pack [cm]:** 9

**Height of a unit pack [cm]:** 29

**Weight of a cardboard box [kg]:** 11.5

**Width of a cardboard box [cm]:** 39

**Height of a cardboard box [cm]:** 31.5

**Length of a cardboard box [cm]:** 59.5

**Volume of a cardboard box [m<sup>3</sup>]:** 0.073096

### Ceiling-mounted light fitting with replaceable light source

KANLUX S.A. (kat 8980) JURBA DL-2180 / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 8980) JURBA DL-2180  
Lampy: 2 x TC-DSE 18W/827

