


12716 T5-13W 4000K/65

Linear fluorescent lamp

5905339127167



Kanlux T5 are oneband and triband linear fluorescent lamps. Low consumption of energy and long working time are indisputable advantages of these lamps.

TYPE OF LIGHT SOURCE:

Lighting technology used: LFL T5 HE

Non-directional or directional light source: NDLS

Mains or non-mains light source: NMLS

Connected light source (CLS): no

Colour-tuneable light source: no

High luminance light source: no

Anti-glare shield: no

Dimmable: no

PRODUCT PARAMETERS:

Compatible with a dimmer: no

Length [mm]: 530

Width [mm]: 15

Height [mm]: 530

Depth [mm]: 15

Diameter [mm]: 15

Rated power [W]: 13

Material: glass

Light source: T5

Colour temperature: white

Cap: G5

Rated lamp-service life [h]: 10000

Rated luminous flux [lm]: 1118

Additional information: Light source (LS)

Mercury content: yes

PARAMETERS FOR LED AND OLED LIGHT SOURCES:

Energy consumption in on-mode of the light source (kWh/1000h): 13

Energy efficiency class: G

Useful luminous flux of the light source Φ_{use} [lm]: 1118

Useful luminous flux of the light source Φ_{use} [lm]: in sphere (360°)

Correlated colour temperature [K]: 4000


On-mode power of the light source P_{on} [W]: 13

Colour rendering index: 65

Chromaticity coordinates (x): 0.38

12716 T5-13W 4000K/65

Linear fluorescent lamp



Chromaticity coordinates (y): 0.38

Claim of equivalent power [W]: 78

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 100

Number of units in the packaging: 100

Net unit weight [g]: 50

Grammage [g]: 60

Length of a unit pack [cm]: 53

Width of a unit pack [cm]: 2

Height of a unit pack [cm]: 2

Weight of a cardboard box [kg]: 6

Width of a cardboard box [cm]: 21

Height of a cardboard box [cm]: 21.5

Length of a cardboard box [cm]: 55.5

Volume of a cardboard box [m³]: 0.025058

ADDITIONAL INFORMATION:

- T5-8W, T5-13W: fluorescent lamps, other models are tri-band fluorescent

