


22441 ZEW EL-235U-B

Facade luminaire

5905339224415

**IP
44**

Kanlux ZEW luminaires are a perfect solution for illuminating facades of buildings of various types, while the light flux directed both upwards and downwards, they create one beautiful decorative light accents on the façade. Owing to the high class of tightness (IP44), the luminaires can be mounted in places directly exposed to weather conditions.


PRODUCT PARAMETERS:**Colour:** black**Place of assembly:** wall mounted**Place of application:** Indoors and outdoors**Minimum distance from the illuminated object:** 0,5m**Light source included:** no**Fixture lighting direction:** up and down**Length [mm]:** 110**Width [mm]:** 65**Height [mm]:** 235**Rated voltage [V]:** 220-240 AC**Rated frequency [Hz]:** 50**Maximum power [W]:** 2 x max 35**Class of protection against electric shock:** I**Light source:** PAR16**Cap:** GU10**Ambient temperature range to which the product can be exposed:** -20÷35**Enclosure material:** aluminum alloy**Protective glass material:** Tempered glass**Connection type:** Bolt terminal block**Range of sections of wires used [mm²]:** 1÷2,5**IP class:** 44**LOGISTIC DATA:****Packaging method:** 12**Number of units in the secondary packaging:** 1**Number of units in the packaging:** 12**Net unit weight [g]:** 890**Grammage [g]:** 1036.67**Length of a unit pack [cm]:** 11.5**Width of a unit pack [cm]:** 11.5**Height of a unit pack [cm]:** 24.5**Weight of a cardboard box [kg]:** 12.44004**Width of a cardboard box [cm]:** 25**Height of a cardboard box [cm]:** 53**Length of a cardboard box [cm]:** 36**Volume of a cardboard box [m³]:** 0.0477

22441 ZEW EL-235U-B

Facade luminaire


KANLUX S.A. (kat 22441) ZEW EL-235U-B + IQ-LED ... 7W / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22441) ZEW EL-235U-B + IQ-LED ... 7W
Lamps: 2 x IQ-LED GU10 7W-VVV



KANLUX S.A. (kat 22441) ZEW EL-235U-B + IQ-LED ... 7W S3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22441) ZEW EL-235U-B + IQ-LED ... 7W S3
Lamps: 2 x IQ-LED GU10 7W S3-VVV



22441 ZEW EL-235U-B

Facade luminaire

KANLUX S.A. (kat 22441) ZEW EL-235U-B / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22441) ZEW EL-235U-B
Lampy: 2 x PRO GU10 LED 7W-NW

