


22800 MAH PLUS-236/4LED/PC

Dust-proof LED tube light fitting

5905339228000



Kanlux MAH PLUS 4LED are LED equivalents of popular luminaires. Their core asset consists in the fact that they can use T8 LED light sources that are 1200 mm or 1500 mm long. This solution is perfect for industrial use.

PRODUCT PARAMETERS:**Colour:** grey**Place of assembly:** ceiling mounted**Place of application:** Indoors and outdoors**Minimum distance from the illuminated object :** 0,5m**Possibility of fixture-loop-through connection:** yes**Light source included:** no**Power supply of T8 LED fluorescent lamps :** Unilateral**Length [mm]:** 1265**Width [mm]:** 125**Height [mm]:** 92**Number of clasps:** 8**Rated voltage [V]:** 220-240 AC**Rated frequency [Hz]:** 50**Maximum power [W]:** 2 x max 36**Class of protection against electric shock :** I**Lampshade material:** PC**Light source:** T8 LED**Cap:** G13**Ambient temperature range to which the product can be exposed:** 5÷25**Enclosure material:** plastic**Handle material:** Metal**Clasp material:** plastic**Connection type:** Bolt terminal block**Range of sections of wires used [mm²]:** 1÷2,5**IP class:** 65**LOGISTIC DATA:****Unit of measurement:** unit**Packaging method:** 6**Number of units in the secondary packaging :** 1**Number of units in the packaging:** 6**Net unit weight [g]:** 1600**Grammage [g]:** 1950**Length of a unit pack [cm]:** 127.5**Width of a unit pack [cm]:** 14**Height of a unit pack [cm]:** 6.5

22800 MAH PLUS-236/4LED/PC

Dust-proof LED tube light fitting



Weight of a cardboard box [kg] : 11.7

Width of a cardboard box [cm] : 28.5

Height of a cardboard box [cm] : 22

Length of a cardboard box [cm] : 128


Volume of a cardboard box [m³] : 0.080256

ADDITIONAL INFORMATION:

- MAH PLUS 4 LEDs/PC light fixtures are designed for T8 LED 220-240 V~; 50/60 Hz light sources with one-sided power supply


KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ + GLASSv4 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ + GLASSv4
Lamps: 2 x T8 LED GLASSv4 18W-NW



KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ + GLASSv3
Lamps: 2 x T8 LED GLASSv3 18W-NW




22800 MAH PLUS-236/4LED/PC

Dust-proof LED tube light fitting

KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ i GLASSv2 / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ i GLASSv2
Lampy: 2 x T8 LED GLASSv2 18W-NW



KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ i T8 Miledo / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22800) MAH PLUS-236/4LED/ i T8 Miledo
Lampy: 2 x T8 LED 18W-NW

