


22801 MAH PLUS-258/4LED/PC

Dust-proof LED tube light fitting

5905339228017



Kanlux MAH PLUS 4LED are LED equivalents of popular luminaires. Their core asset consists in the fact that they can use T8 LED light sources that are 1200 mm or 1500 mm long. This solution is perfect for industrial use.

PRODUCT PARAMETERS:

Colour: grey

Place of assembly: ceiling mounted

Place of application: Indoors and outdoors

Minimum distance from the illuminated object: 0,5m

Possibility of fixture-loop-through connection: yes

Light source included: no

Power supply of T8 LED fluorescent lamps: Unilateral

Length [mm]: 1570

Width [mm]: 125

Height [mm]: 92

Number of clasps: 10

Rated voltage [V]: 220-240 AC

Rated frequency [Hz]: 50

Maximum power [W]: 2 x max 58

Class of protection against electric shock: I

Lampshade material: PC

Light source: T8 LED

Cap: G13

Ambient temperature range to which the product can be exposed: 5÷25

Enclosure material: plastic

Handle material: Metal

Clasp material: plastic

Connection type: Bolt terminal block

Range of sections of wires used [mm²]: 1÷2,5

IP class: 65

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 6

Number of units in the secondary packaging: 1

Number of units in the packaging: 6

Net unit weight [g]: 2000

Grammage [g]: 2436.67

Length of a unit pack [cm]: 157.5

Width of a unit pack [cm]: 14

Height of a unit pack [cm]: 6.5

22801 MAH PLUS-258/4LED/PC

Dust-proof LED tube light fitting



Weight of a cardboard box [kg]: 14.62002

Width of a cardboard box [cm]: 28.5

Height of a cardboard box [cm]: 22

Length of a cardboard box [cm] : 158

Volume of a cardboard box [m³]: 0.099066


ADDITIONAL INFORMATION:

- MAH PLUS 4 LEDs/PC light fixtures are designed for T8 LED 220-240 V~; 50/60 Hz light sources with one-sided power supply

KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ + GLASSv4 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ + GLASSv4


Lamps: 2 x T8 LED GLASSv4 24W-NW



KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ + GLASSv3

Lamps: 2 x T8 LED GLASSv3 24W-NW




22801 MAH PLUS-258/4LED/PC

Dust-proof LED tube light fitting

KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ i GLASSv2 / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ i GLASSv2

Lampy: 2 x T8 LED GLASSv2 24W-NW



KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ i T8 Miledo / Krzywa rozsyłu światła (biegunowo)

Oprawa: KANLUX S.A. (kat 22801) MAH PLUS-258/4LED/ i T8 Miledo

Lampy: 2 x T8 LED 22W-NW

