

24532 LEDS-B 7.2W/M IP54RGB

LED tape

5905339245328



Kanlux LEDS-B RGB are modern strips of decorative character. Perfect for home use where they can create unique arrangements limited by our imagination only. They are characterised by high flexibility, good adhesion and high durability. Depending on the place in which we want to add more light or which we wish to highlight, we can choose the lighting colour suiting our preferences.

TYPE OF LIGHT SOURCE:

Dimmable: only with specific dimmers

PRODUCT PARAMETERS:

Place of application: Indoors

Minimum distance from the illuminated object: 0,1m

Length [mm]: 5000

Width [mm]: 10

Height [mm]: 5000

Rated voltage [V]: 12 DC

Rated power [W]: 1m = max 7,2

Class of protection against electric shock: III

Diode type: LED SMD

Luminous flux [lm]: 1m = 130

Colour temperature: RGB

Rated lamp-service life [h]: 15000

Number of on/off cycles: ≥15000

Ambient temperature range to which the product can be exposed: 5÷25

Connection type: Free cable ends

IP class: 54

Mercury content: no

Mercury content in the lamp [mg]: 0

PARAMETERS FOR LED AND OLED LIGHT SOURCES:

Useful luminous flux of the light source Φuse [lm]: 0,5m = max 65



Useful luminous flux of the light source Φuse [lm]: in sphere (360°)

Correlated colour temperature [K]: RGB

On-mode power of the light source Pon [W]: 0,5m = max 3,6

LOGISTIC DATA:

Unit of measurement: unit

24532 LEDS-B 7.2W/M IP54RGB**LED tape****Packaging method:** 25**Number of units in the secondary packaging:** 25**Number of units in the packaging:** 50**Net unit weight [g]:** 190**Grammage [g]:** 234**Gross unit weight [g]:** 204**Length of a unit pack [cm]:** 20.5**Width of a unit pack [cm]:** 1**Height of a unit pack [cm]:** 22.5**Weight of a cardboard box [kg]:** 11.7**Width of a cardboard box [cm]:** 30**Height of a cardboard box [cm]:** 29**Length of a cardboard box [cm]:** 46**Volume of a cardboard box [m³]:** 0.04002**ACCESSORIES****19036**

CONNECTOR RGB 10-CP

LED band connector,
CONNECTOR
RGB 10-CP
(19036)**19037**

CONNECTOR RGB 10-CPC

LED band connector,
CONNECTOR
RGB 10-CPC
(19037)**19038**

CONNECTOR RGB 10

LED band connector,
CONNECTOR
RGB 10
(19038)

24532 LEDS-B 7.2W/M IP54RGB

LED tape