


26327 COB SET 3m DIM-NW

LED kit

5905339263278



Kanlux COB SET is a set consisting of three elements: a 3m long LED strip, a power supply and a switch with a dimmer function. It is a ready-to-use set that can be easily installed and connected to the socket. This is a convenient solution that allows you to add effective lighting without the need to cut walls for additional electrical wiring.

TYPE OF LIGHT SOURCE:


Lighting technology used: LED
Non-directional or directional light source : NDLS
Mains or non-mains light source : NMLS
Connected light source (CLS): no
Colour-tuneable light source: no
High luminance light source: no
Anti-glare shield : no
Dimmable: only with specific dimmers

PRODUCT PARAMETERS:

Lamp designed for dimming: yes
Place of application : Indoors
Minimum distance from the illuminated object : 0,1m
Possibility of dimming only with help of an internal electronic system: yes
Length [mm]: 3000
Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Rated power [W]: 3m=18
Class of protection against electric shock : II/III
Diode type: LED COB
Luminous flux [lm]: 3m=1710
Colour temperature: white
Rated lamp-service life [h]: 30000
Number of on/off cycles: ≥30000
Connection type: Cable terminated with a plug
Input voltage - PRI [V]: 220-240 AC
Output voltage - SEC [V]: 12 DC
IP class: 00
Possibility of cutting LED strips into segments [cm]: 2,5
Additional information: Light source (LS)
Mercury content: no

26327 COB SET 3m DIM-NW

LED kit

**PARAMETERS FOR LED AND OLED LIGHT SOURCES:****Energy consumption in on-mode of the light source****(kWh/1000h):** 4**Energy efficiency class:** F**Useful luminous flux of the light source Φ_{use} [lm] :** 0,5m = 380**Useful luminous flux of the light source Φ_{use} [lm] :** in sphere (360°)**Correlated colour temperature [K] :** 4000**Colour consistency in McAdam ellipses :** ≤ 5 **On-mode power of the light source P_{on} [W] :** 0,5m = 4**Standby power (P_{sb}):** 0,5W**Height of the light source [mm] :** 500**Width of the light source [mm] :** 8**Depth of the light source [mm] :** 2**Colour rendering index:** 90**Chromaticity coordinates (x):** 0,38**Chromaticity coordinates (y):** 0,38**Claim of equivalent power [W] :** 0,5m = 33**R9 colour rendering index value :** 51**Survival factor:** 0,9**The lumen maintenance factor:** 0,96**LOGISTIC DATA:****Unit of measurement:** unit**Packaging method:** 10**Number of units in the packaging:** 10**Net unit weight [g] :** 162**Grammage [g] :** 304**Length of a unit pack [cm] :** 20**Width of a unit pack [cm] :** 7**Height of a unit pack [cm] :** 22.5**Weight of a cardboard box [kg] :** 3.04**Width of a cardboard box [cm] :** 35**Height of a cardboard box [cm] :** 21**Length of a cardboard box [cm] :** 35**Volume of a cardboard box [m³] :** 0.025725**ADDITIONAL INFORMATION:**

- 3 years Warranty under the terms of the warranty statement, available on our website

26327 COB SET 3m DIM-NW

LED kit

