


## 26965 MEBA 4LED 2X150 OP PS

T8 LED tube linear fittings

5905339269652



Kanlux MEBA 4LED is a LED version of Kanlux MEBA linear luminaire. T8 LED tubes used in it guarantee more economical and longer operation, which positively translates into the comfort of use in beauty and hairdresser salons, and office spaces.

### PRODUCT PARAMETERS:

**Rated voltage [V]:** 220-240 AC

**Rated frequency [Hz]:** 50

**Maximum power [W]:** 2 x max 58

**Cap (Light source):** G13

**Light source:** T8 LED

**Light source included:** no

**Colour:** white

**Place of assembly:** ceiling mounted

**Place of application:** Indoors

**IP class:** 20

**Minimum distance from the illuminated object:** 0,5m

**Replaceable light source:** yes

**Fixture lighting direction:** down

**Power supply of T8 LED fluorescent lamps:** Unilateral

**Length [mm]:** 1580

**Width [mm]:** 153

**Height [mm]:** 65

**Class of protection against electric shock:** I

**Lampshade material:** PS

**Enclosure material:** steel, plastic

**Ambient temperature range to which the product can be exposed:** 5÷25

**Shade type:** opal

**Connection type:** Bolt terminal block

**Range of sections of wires used [mm<sup>2</sup>]:** 1-2,5

### LOGISTIC DATA:

**Unit of measurement:** unit

**Packaging method:** 8

**Number of units in the secondary packaging:** 1

**Number of units in the packaging:** 8

**Net unit weight [g]:** 1544

**Grammage [g]:** 2051.67

Date of issue: 17.10.2025, 09:30


We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

## 26965 MEBA 4LED 2X150 OP PS

### T8 LED tube linear fittings



**Length of a unit pack [cm]:** 157  
**Width of a unit pack [cm]:** 15.5  
**Height of a unit pack [cm]:** 7  
**Weight of a cardboard box [kg]:** 16.41336  
**Width of a cardboard box [cm]:** 29.5  
**Height of a cardboard box [cm]:** 32.5  
**Length of a cardboard box [cm]:** 158  
**Volume of a cardboard box [m³]:** 0.151483

#### ADDITIONAL INFORMATION:


- the fittings are intended for sources T8 LED 220-240 V~; 50/60 Hz with one-sided power supply



KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv4 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv4

Lamps: 2 x T8 LED GLASSv4 24W-NW




## 26965 MEBA 4LED 2X150 OP PS

### T8 LED tube linear fittings


KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv3  
Lamps: 2 x T8 LED GLASSv3 24W-NW



KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv2 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv2  
Lamps: 2 x T8 LED GLASSv2 24W-NW



Date of issue: 17.10.2025, 09:30


We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

## 26965 MEBA 4LED 2X150 OP PS

### T8 LED tube linear fittings



Date of issue: 17.10.2025, 09:30

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com