


**27419 ALIN 4LED 1X120-W-NT**

T8 LED tube linear fittings

5905339274199

**PRODUCT PARAMETERS:****Colour:** white**Place of assembly:** ceiling mounted**Place of application:** Indoors**Minimum distance from the illuminated object:** 0,5m**Light source included:** no**Fixture lighting direction:** down**Power supply of T8 LED fluorescent lamps:** Unilateral**Length [mm]:** 1240**Width [mm]:** 60**Height [mm]:** 69**Wersja do łączenia w linie [element początkowy] LF:**

33793 (NT), 33788 (Z)


**Wersja do łączenia w linie [element środkowy] LM:** 33799 (NT), 33794 (Z)**Wersja do łączenia w linie [element końcowy] LL:** 33805 (NT), 33800 (Z)**Explanation of markings and signs used:** (Z) - for suspension on the ceiling, (NT) - ceiling mounted**Rated voltage [V]:** 220-240 AC**Rated frequency [Hz]:** 50**Maximum power [W]:** max 36**Class of protection against electric shock:** I**Lampshade material:** plastic**Light source:** T8 LED**Cap:** G13**Ambient temperature range to which the product can be exposed:** 5÷25**Shade type:** matt**Enclosure material:** aluminum alloy**Connection type:** Self-clamping block**Range of sections of wires used [mm<sup>2</sup>]:** 1,5÷2,5**IP class:** 20**LOGISTIC DATA:****Packaging method:** 1**Number of units in the secondary packaging:** 1**Number of units in the packaging:** 1**Net unit weight [g]:** 1700**Grammage [g]:** 2030**Length of a unit pack [cm]:** 136**Width of a unit pack [cm]:** 11**Height of a unit pack [cm]:** 7**Weight of a cardboard box [kg]:** 2.03**Width of a cardboard box [cm]:** 11**Height of a cardboard box [cm]:** 7

**27419 ALIN 4LED 1X120-W-NT**


T8 LED tube linear fittings

**Length of a cardboard box [cm] : 136****Volume of a cardboard box [m<sup>3</sup>]: 0.010472**

KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv4 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv4  
Lamps: 1 x T8 LED GLASSv4 18W-NW

KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + GLASSv3  
Lamps: 1 x T8 LED GLASSv3 18W-NW

**27419 ALIN 4LED 1X120-W-NT**

## T8 LED tube linear fittings

KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + Miledo / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27419) ALIN 4LED 1X120-W-NT + Miledo

Lamps: 1 x T8 LED 16W-NW

