



31322 DIGHT 4LED PI 218/PS

Dust-proof LED tube light fitting

8595665313227



PRODUCT PARAMETERS:

Colour: grey
Place of assembly: ceiling mounted
Place of application: Indoors and outdoors
Minimum distance from the illuminated object: 0,5m
Possibility of fixture-loop-through connection: yes
Replaceable light source: yes
Light source included: no
Power supply of T8 LED fluorescent lamps: Unilateral
Length [mm]: 660
Width [mm]: 95
Height [mm]: 60
Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Maximum power [W]: 2 x max 18
Class of protection against electric shock: II
Lampshade material: PS
Light source: T8 LED
Cap (Light source): G13
Ambient temperature range to which the product can be exposed: 5÷25
Enclosure material: plastic
Connection type: Bolt terminal block
Range of sections of wires used [mm²]: 0,5÷2,5
IP class: 65
Kształt: rectangular

LOGISTIC DATA:


Unit of measurement: unit
Packaging method: 12
Number of units in the secondary packaging: 1
Number of units in the packaging: 12
Net unit weight [g]: 452
Grammage [g]: 581.67
Length of a unit pack [cm]: 66.5
Width of a unit pack [cm]: 10
Height of a unit pack [cm]: 5
Weight of a cardboard box [kg]: 6.98004
Width of a cardboard box [cm]: 21
Height of a cardboard box [cm]: 30.5
Length of a cardboard box [cm]: 68
Volume of a cardboard box [m³]: 0.043554

31322 DICHT 4LED PI 218/PS

Dust-proof LED tube light fitting


MILEDO (kat 31322) DICHT 4LED PI 218 PS + GLASSv4 / LDC (Polar)

Luminaire: MILEDO (kat 31322) DICHT 4LED PI 218 PS + GLASSv4
Lamps: 2 x T8 LED GLASSv4 9W-NW



MILEDO (kat 31322) DICHT 4LED PI 218 PS + GLASSv3 / LDC (Polar)

Luminaire: MILEDO (kat 31322) DICHT 4LED PI 218 PS + GLASSv3
Lamps: 2 x T8 LED GLASSv3 9W-NW



31322 DICHT 4LED PI 218/PS

Dust-proof LED tube light fitting

