


## 33171 TP STRONG LED 75W-NW

Linear LED luminaire

5905339331717


**IP 65** up to **135 lm/W**

Kanlux TP STRONG is a hermetic luminaire for special purposes. The tightness of IP65, mechanical resistance of IK08, and luminous efficacy of 135lm/W are the main advantages of this luminaire. Additionally, it has a light distribution angle of X125°/Y110°. The parameters speak for themselves, but we also give a 5-year warranty.

**PRODUCT PARAMETERS:****Colour:** white**Place of assembly:** ceiling mounted, wall mounted**Place of application:** Indoors and outdoors**Minimum distance from the illuminated object:** 0,5m**Possibility of fixture-loop-through connection:** yes**Compatible with a dimmer:** no**Length [mm]:** 1500**Width [mm]:** 72**Height [mm]:** 63**Integrated LED light source:** yes**Rated voltage [V]:** 220-240 AC**Rated frequency [Hz]:** 50**Maximum power [W]:** 75**Class of protection against electric shock:** I**Lampshade material:** PC**Diode type:** LED SMD**Luminous flux [lm]:** 10000**Colour temperature:** white**Service life [h]:** 50000**Number of on/off cycles:** ≥30000**Lighting angle [°]:** X125/Y110**Ambient temperature range to which the product can be exposed:** -20÷40**Enclosure material:** plastic**Connection type:** Self-clamping block**Range of sections of wires used [mm<sup>2</sup>]:** 1,5÷2,5**Lamp-heating time [s]:** <1**Lamp-ignition time [s]:** ≤0,5**Maximum number of loop-through-connected fixtures:** 10**IK class:** 08**IP class:** 65

## 33171 TP STRONG LED 75W-NW

Linear LED luminaire

**PARAMETERS FOR LED AND OLED LIGHT SOURCES:**

**Energy efficiency class:** D

**Correlated colour temperature [K]:** 4000

**Colour consistency in McAdam ellipses:**  $\leq 6$

**Colour rendering index:** 80

**LOGISTIC DATA:**

**Packaging method:** 6

**Number of units in the secondary packaging:** 1

**Number of units in the packaging:** 6

**Net unit weight [g]:** 1210

**Grammage [g]:** 1433.33

**Length of a unit pack [cm]:** 157.5

**Width of a unit pack [cm]:** 8

**Height of a unit pack [cm]:** 7

**Weight of a cardboard box [kg]:** 8.59998

**Width of a cardboard box [cm]:** 17


**Height of a cardboard box [cm]:** 23

**Length of a cardboard box [cm]:** 160

**Volume of a cardboard box [m<sup>3</sup>]:** 0.06256

**ADDITIONAL INFORMATION:**

- 5 years Warranty under the terms of the warranty statement, available on our website



**33171 TP STRONG LED 75W-NW**

Linear LED luminaire

KANLUX S.A. (kat 33171) TP STRONG LED 75W-NW / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33171) TP STRONG LED 75W-NW

Lamps: 1 x TP STRONG LED 75W

