

**34298 ALD-MM-NW-MPR-W-NT**



Linear LED luminaire

5905339342980

**PRODUCT PARAMETERS:****Colour:** white**Place of assembly:** ceiling mounted**Place of application:** Indoors**Minimum distance from the illuminated object :** 0,5m**Compatible with a dimmer:** DALI**Fixture lighting direction:** down**Length [mm]:** 1140**Width [mm]:** 60**Height [mm]:** 69**Integrated LED light source :** yes**Version for connection in line [initial element] LF :** 34569**Version for connection in line [central element] LM :** 34713**Version for connection in line [final element] LL :** 34857**Rated voltage [V]:** 220-240 AC**Rated frequency [Hz]:** 50**Maximum power [W]:** 29**Class of protection against electric shock :** I**Lampshade material:** plastic**Diode type:** LED SMD**Luminous flux [lm]:** 3600**Colour temperature:** white**Service life [h]:** 50000**Luminous-flux-retention factor at the end of rated service life :**  
L90B10**Number of on/off cycles:** ≥30000**Lighting angle [°]:** X75/Y90**Ambient temperature range to which the product can be exposed:** 5÷25**Shade type:** microprismatic**Enclosure material:** aluminum alloy**Connection type:** Self-clamping block**Range of sections of wires used [mm²]:** 0,5÷2,5**Lamp-heating time [s]:** ≤1**Lamp-ignition time [s]:** ≤0,5**IP class:** 20**PARAMETERS FOR LED AND OLED LIGHT SOURCES:****Correlated colour temperature [K]:** 4000**Colour consistency in McAdam ellipses :** ≤3**Colour rendering index:** 80

## 34298 ALD-MM-NW-MPR-W-NT

### Linear LED luminaire



#### LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 1

Number of units in the secondary packaging: 1

Number of units in the packaging: 1

Net unit weight [g]: 2140

Grammage [g]: 2480

Length of a unit pack [cm]: 136

Width of a unit pack [cm]: 11

Height of a unit pack [cm]: 7

Weight of a cardboard box [kg]: 2.48

Width of a cardboard box [cm]: 11

Height of a cardboard box [cm]: 7

Length of a cardboard box [cm]: 136

Volume of a cardboard box [m<sup>3</sup>]: 0.010472

#### ADDITIONAL INFORMATION:

- 5 years Warranty under the terms of the warranty statement, available on our website

## 34298 ALD-MM-NW-MPR-W-NT

Linear LED luminaire

### ACCESSORIES

|                                                                                     |                      |                                                                                     |
|-------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------|
| <b>32543</b>                                                                        | ALIN CORD DALI 1F-W  | Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, white, 150 cm  |
|    |                      |                                                                                     |
| <b>32544</b>                                                                        | ALIN CORD DALI 1F-B  | Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, black, 150 cm  |
|    |                      |                                                                                     |
| <b>32545</b>                                                                        | ALIN CORD DALI 1F-SR | Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, silver, 150 cm |
|   |                      |                                                                                     |
| <b>07871</b>                                                                        | ROPE-NT 150 SINGLE   | ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set     |
|  |                      |                                                                                     |
| <b>29557</b>                                                                        | ALIN NT GRIP         | Wall bracket for the ALIN luminaire, 2 pcs included                                 |
|  |                      |                                                                                     |
| <b>25979</b>                                                                        | KLOSZ MPR AL 23W/33W | MPR shade for fitting ALIN, MPR SHADE AL 23W/33W, (25979)                           |
|  |                      |                                                                                     |