

# Kanlux



EAN: 5905339902726

Garden light fitting with replaceable light source  
Kanlux 46202 RADIOLO EL IX SE B



IP  
44



Date of issue: 14.04.2026, 08:52

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland [kanlux@kanlux.com](mailto:kanlux@kanlux.com)

EN

## PRODUCT PARAMETERS

Rated voltage [V]	220-240 AC
Rated frequency [Hz]	50
Maximum power [W]	max 11
Cap (Light source)	GU10
Light source	PARI6 LED
Light source included	no
Place of application	Indoors and outdoors
IP class	44
Fixture lighting direction	down

## DIMENSIONS AND MOUNTING

Height [mm]	162
Width [mm]	68
Length [mm]	100
Connection type	Bolt terminal block
Range of sections of wires used [mm <sup>2</sup> ]	1÷1,5

## SENSOR PARAMETERS

Sensor type	PIR
Wykrywanie ruchu	yes
Sensor range[m]	max 8
Sensor working angle [°]	90
Sensor-operation time [second-minute]	5-5
Illumination-level setpoint by which the sensor detects movement [lx]	10-2000

## MATERIAL AND CONSTRUCTION

Colour	black
Material	aluminum alloy, PC
Enclosure material	aluminum alloy
Lampshade material	PC
Class of protection against electric shock	I
Minimum distance from the illuminated object	0,2m
Ambient temperature range to which the product can be exposed	-20÷35

## LOGISTICS

Unit of measurement	unit
Packaging method	24
Number of units in the secondary packaging	1
Number of units in the packaging	24
Net unit weight [g]	428
Grammage [g]	508.75
Gross unit weight [g]	488
Length of a unit pack [cm]	12
Width of a unit pack [cm]	8
Height of a unit pack [cm]	17
Weight of a cardboard box [kg]	12.21
Width of a cardboard box [cm]	36.5
Height of a cardboard box [cm]	34
Length of a cardboard box [cm]	38
Volume of a cardboard box [m <sup>3</sup> ]	0.047158

Date of issue: 14.04.2026, 08:52

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com