

Kanlux



EAN: 5905339907806

Wall & ceiling lighting fitting
KANLUX 90780 EVALO EL-1I BE-G



Date of issue: 04.08.2026, 13:21

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

EN

PRODUCT PARAMETERS

Rated voltage [V]	220-240 AC
Rated frequency [Hz]	50
Maximum power [W]	max 10
Cap (Light source)	GU10
Light source	PAR16
Light source included	no
Place of application	Indoors
IP class	20
The product is not suitable to be covered with a heat-insulating material	yes
The fixture is movable horizontally [°]	320
The fixture is movable vertically [°]	90
Lighting-fixture angle regulation [°]	in two axes
Product category according to 2019/2020/EU	nie podlega pod rozporządzenie 2019/2020 - produkt na wymienne źródło światła

DIMENSIONS AND MOUNTING

Height [mm]	120
Width [mm]	80
Length [mm]	120
Place of assembly	wall mounted, ceiling mounted
Connection type	Bolt terminal block
Range of sections of wires used [mm²]	1÷2,5

LOGISTICS

Unit of measurement	unit
Packaging method	10
Number of units in the secondary packaging	1
Number of units in the packaging	10
Net unit weight [g]	306
Grammage [g]	408
Gross unit weight [g]	330
Length of a unit pack [cm]	12.5
Width of a unit pack [cm]	8.5
Height of a unit pack [cm]	13
Weight of a cardboard box [kg]	4.08
Width of a cardboard box [cm]	27
Height of a cardboard box [cm]	16
Length of a cardboard box [cm]	45
Volume of a cardboard box [m³]	0.01944

MATERIAL AND CONSTRUCTION

Colour	beige
Enclosure material	aluminum alloy
Lampshade material	aluminum alloy
Class of protection against electric shock	I
Kształt	round
Minimum distance from the illuminated object	0,5m
Ambient temperature range to which the product can be exposed	5÷25

Date of issue: 04.08.2026, 13:21

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com